

Sub
B₁

15

20

25

30

6. The composition according to claim 5, further comprising at least one component selected from the group consisting of carriers, excipients, diluents,

binders, disintegrating agents, lubricants, adjuvants, surfactants, propellants, and stabilizers.

7. A dosage unit form comprising the composition according to claim

5 6.

8. The dosage unit form according to claim 7, selected from the group consisting of tablets, capsules, powders, solutions, suspensions, aerosols, and emulsions.

9. A method for treating breast disease in a patient in need thereof, which method comprises administering the dosage unit form according to claim 9.

10. A method for treating breast disease in a patient in need thereof, which method comprises administering to the patient an effective amount of an antibody or a binding portion thereof which recognizes a chemokine, wherein the chemokine has about 105 to about 127 amino acids, has a deduced molecular weight of from about 12 to about 14 kD, has a deduced isoelectric point of from about pH 10.1 to about pH 10.7, and comprises at least one amino acid sequence selected from the group consisting of SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5; wherein the breast disease is selected from the group consisting of inflammation, infection, and mastitis.

11. The method according to claim 10, wherein the chemokine has an amino acid sequence comprising each of SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5.

12. The method according to claim 11, wherein the chemokine has an amino acid sequence as depicted in SEQ ID NO:1.

13. The method according to claim 10, wherein the antibody or binding portion thereof is administered orally, parenterally, subcutaneously, intravenously, intramuscularly, intraperitoneally, intraocularly, intraarterially, by intranasal instillation, by intracavitary instillation, by intravesical instillation, or by application to mucous membranes.

14. A composition comprising an antibody or a binding portion thereof which recognizes a chemokine, wherein the chemokine has about 105 to about 127 amino acids, has a deduced molecular weight of from about 12 to about 14 kD, has a deduced
5 isoionic point of from about pH 10.1 to about pH 10.7, and comprises at least one amino acid sequence selected from the group consisting of SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5, wherein the antibody or binding portion thereof is present in the composition in an amount effective to treat a breast disease.

15. The composition according to claim 14, further comprising at least one component selected from the group consisting of biological agents, carriers, excipients, diluents, binders, disintegrating agents, lubricants, adjuvants, surfactants, propellants, and stabilizers.

16. A dosage unit form comprising the composition according to claim 14.

17. The dosage unit form according to claim 16, selected from the group consisting of tablets, capsules, powders, solutions, suspensions, aerosols, and
20 emulsions.

18. A method for treating breast disease in a patient in need thereof, which method comprises administering the dosage unit form according to claim 17.

19. The method according to claim 11, wherein the antibody is conjugated to a cytotoxic drug.

20. The method according to claim 19, wherein the cytotoxic drug is selected from the group consisting of a therapeutic drug; a radioactive compound; a
30 molecule of plant, fungal, or bacterial origin; a biological protein; and mixtures thereof.

Sub
B-1

21. The method according to claim 12, wherein the method is used in conjunction with surgery, radiation, cryosurgery, thermotherapy, hormone treatment, chemotherapy, and vaccines.

Sub B1
22. A method for vaccinating against a breast disease in a patient in need thereof, which method comprises administering to the patient an effective amount of an antigenic portion of a chemokine with an effective amount of an adjuvant, wherein the chemokine has about 105 to about 127 amino acids, has a deduced molecular weight of from about 12 to about 14 kD, has a deduced isoelectric point of from about pH 10.1 to about pH 10.7, and comprises at least one amino acid sequence selected from the group consisting of SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5; wherein the breast disease is selected from the group consisting of inflammation, infection, and mastitis.

23. A composition comprising (i) an antigenic portion of a chemokine, wherein the chemokine has about 105 to about 127 amino acids, has a deduced molecular weight of from about 12 to about 14 kD, has a deduced isoelectric point of from about pH 10.1 to about pH 10.7, and comprises at least one amino acid sequence selected from the group consisting of SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5, wherein the antigenic portion of a chemokine is present in the composition in an amount effective to vaccinate against a breast disease; and (ii) an adjuvant.

24. A dosage unit form comprising the composition according to claim 23.

25. The dosage unit form according to claim 24, selected from the group consisting of tablets, capsules, powders, solutions, suspensions, aerosols, and emulsions.

26. A method for vaccinating against a breast disease in a patient in need thereof, which method comprises administering the dosage unit form according to claim 25.